
KNEER - SÜD FENSTER

Lived Vision



all around the house



ACTIVE BURGLARY PROTECTION FOR HOUSE AND APARTMENT



Building elements are divided into certain resistance classes RC for "Resistance Class". Here is an overview of the security classes:

basic security as standard



EXECUTION - FITTING

The Kneer-Südfenster basic security package consists of two security locking parts and associated safety mushroom cam. This is part of the basic equipment.

RECOMMENDED FIELD OF APPLICATION

Windows in the roof-gable area or secondary outbuildings.

ADDITIONAL EQUIPMENT

Push-botton handle with locking mechanism is recommended.

GLAZING	WINDOW SYSTEME
No request	In all windows systems is standard possible.

INCREASED BASIC SECURITY



EXECUTION - FITTING

Four safety locking parts with adjustable safety mushroom cam provide basic protection against physical violence such as kicking or pushing.

RECOMMENDED FIELD OF APPLICATION

Windows on the upper floor, which can not be reached without a climbing aid and no direct direct attack on the glazing is expected.

ADDITIONAL EQUIPMENT

This safety class requires a lockable safety handle with a breaking load of at least 100 Nm.

40 10 40 T T T T T T T T T T T T T T T T T T	
GLAZING	WINDOW SYSTEM
No request	Possible for all window systems.

TESTED SECURITY



EXECUTION - FITTING

All-around locking with security components, secured glass connection and impact-resistant glazing (RC 2 only) provide good protection against casual burglars with light burglary tools such as screwdrivers, pliers or pliers or wedges.

RECOMMENDED FIELD OF APPLICATION


Windows and balcony doors in houses on secluded, ingrown lots or poorly visible, rear window elements that can be reached at ground level.

ADDITIONAL EQUIPMENT

This safety class requires a lockable safety handle with a breaking load of at least 100 Nm.

GLAZING	WINDOW SYSTEM
RC 2N - no requirements. RC 2 - Bullet-proof glazing P4A according to DIN 356.	Possible for all window systems.

SECURITY »PLUS«



EXECUTION - FITTING

All-round locking with security components, secured glass connection additional stiffening elements in the frame and sash offer protection against perpetrators who try to break in with a cow's foot and other heavy tools.

RECOMMENDED FIELD OF APPLICATION


windows and balcony doors in houses on lonely ingrown plots of land or poorly visible, rear window elements, which are accessible at ground level.

ADDITIONAL EQUIPMENT

This safety class requires a lockable safety handle with a breaking load of at least 100 Nm breaking load is prescribed.

GLAZING	WINDOW SYSTEM
Bullet-resistant glazing P5A according to DIN 356.	PVC window system KF 564

SYSTEM OVERVIEW FOR WOOD AND ALUMINIUM WOOD





SYSTEM OVERVIEW FOR PVC AND ALUMINIUM-PVC





BURGLARY PROTECTION STARTS AT THE FRONT DOOR

Key security features include:

- Solid, dimensionally stable door leaf
- Lock with multiple locking points
- and stable lock case
- Secured hinge side with high-quality
- roller hinges
- Lock cylinder with core pull protection
- Protective fitting with secured cylinder cover
- Safety glass with
- secured glass connection



Our standard security:

- Solid, dimensionally stable door leaf as solid leaf or
- construction door
- Automatic multiple locking system
- Secured, heavy hinges
- Hinge side security with patented Keilfalz



Provide even more security:

- Locking shackle locks
- Profile cylinder with security card
- Motorized automatic locks
- Access systems such as fingerprint or transponder
- Electric door spy
- Doorbell systems with camera







All front doors are equipped with 3 high-quality front door hinges as standard

The hinges offer you the following advantages:

- Easy maintenance friendly due to 3-dimensional adjustability in the hooked-in state
- High load capacity
- The sealing level is not interrupted by the hinges
- Attractive appearance
- Lever-out protection due to patented Keilfalz
- Maintenance-free slide bearing technology

For wooden and aluminium-wood entrance doors we have developed a lever-out protection in the form of a patented Keilfalz that meets RC 2 requirements, which is standard for our high-quality front doors.









Locking technology on the main lock box: regulates the day access via the slider

When closing the door, the latchbolts of the automatic lock move 20mm into the closing bar and locked the door - without a key.

This ensures maximum security!

Also recommended is an integrated lock that prevents the door from being pushed open from the outside when the door is slightly open.





FINGERPRINT

Secure and convenient access system without a key, but via a finger scanner.

In the event of a claim, the policyholder is obligated to prove a burglary. The fingerprint that we install has been tested by VdS and classified as certifiable. In the event of attempted manipulation, the event memory offers detailed possibilities of proof.



KEY EXPERIENCE!



DIGITAL DOOR SPY

When the button is pressed, a clear colour image appears on the screen, which can be view comfortably even at a distance from the door.

With a door spy camera, you always know exactly who is standing in front of the door - without having to open.

Advantages:

No view from the outside into the apartment possible and it is not possible to see when looking through from the inside.

The integrated colour camera sees through the door spy. From the outside, the high-tech solution is not to indistinguishable from a conventional optical door spy

Particularly suitable for seniors, children and wearers of glasses.





SMART-TOUCH

The Smart-Touch system with transponder has also proven its worth: Once the access authorization is recognized the main door unlocks automatically.

This not only facilitates the access, but is also an effective access control.

KNEER - SÜD FENSTER

Lived Vision



KNEER GmbH Fenster und Türen

Horst-Kneer-Straße 1 D-72589 Westerheim phone: +49 (0) 7333 / 83-0

SÜD-FENSTERWERK GmbH & Co. Betriebs-KG

Rothenburger Straße 39 D-91625 Schnelldorf phone: +49 (0) 7950 / 81-0 e-mail: info@suedfenster.de

SÜD-BAUELEMENTE GmbH

D-03238 Massen
phone: +49 (0) 3531 / 799-114

WWW.KNEER-SUEDFENSTER.DE



Your KNEER-SÜDFENSTER specialized dealer: